



UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY OF COMMERCE AND  
COMMISSIONER OF PATENTS AND TRADEMARKS  
P.O. Box 1450  
Alexandria, VA 22313-1450

August 13, 2007

**FRISHAUF, HOLTZ, GOODMAN & CHICK, PC**  
**220 Fifth Avenue**  
**16TH Floor**  
**NEW YORK NY 10001-7708**

Patent No. : 7,064,842 B1  
Inventor(s) : Eiji Yamamoto, et al.  
Issued : June 20, 2006  
For **OPTICAL DISPLACEMENT SENSOR  
AND OPTICAL ENCODER**  
Doc. No. **00009/LH**

To Whom It May Concern:

The Certificate of Correction issued on May 22, 2007, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The certificate of correction was published incomplete. The 1050 form submitted by applicant/attorney included corrections to Column 40 between line 37 and 37 and Column 40, line 50 which were not inserted on the certificate of correction issued May 22, 2007. A superseding cofc will be issued to include these errors.

---

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson  
(703) 308-9390 ext. 111  
For Cecelia Newman, Supervisor  
Decisions & Certificates of Correction Branch  
(703) 305-8309 / 703-308-9390 ext. 102  
cbn